Spinnerin

SPINNERIN YARN

Vol. 212 Price $.75

Spinnerin

Editor Liz Blackwell **VOL. 212**
Associate Editor Claudia Manley
Fashion Co-ordinator Susan Farrelly
West Coast Consultant Sally Ann Abbott

TIMELY TIPS

WHY IS GAUGE SO IMPORTANT?

Because the gauge given in each set of instructions determines the size of each knit. If you do not get the gauge as given, your garment can be either too small or too large.

IS ROW GAUGE OF GREAT IMPORTANCE?

in many styles, yes—as important as stitch gauge. For example, any raglan sleeve style is worked by rows, to determine the correct length. If your row gauge is not correct, your raglan seam can be far too short, or far too long. For a style worked only in stockinette stitch, row gauge is of less importance, since you can work all length measurements in inches. But row gauge also determines the texture of your knit and you should always make an effort to get the exact row gauge as given.

WHY IS NEEDLE SIZE LESS IMPORTANT?

Because people knit quite differently. Some knit tightly, some loosely; some use short needles, some use long needles; some prefer aluminum needles, and others like plastic needles. A needle size is always given with each set of instructions, determined from average knitters. **IF YOU CANNOT GET GAUGE GIVEN—TRY A SMALLER OR LARGER SIZE**—until you do get the correct gauge.

CASTING ON

FOR GARTER ST: Cast on with one needle and 2 ends of yarn. Always count cast on row as Row 1 and the first ridge on right side.

FOR STOCKINETTE ST: cast on with one needle. Beg with a P row, counting cast-on row as Row 1; OR beg with a K row and do not count cast-on row.

FOR RIBBING: Cast on with 2 needles and 2 ends of yarn. Do not count cast-on row.

IS THE SIZE OF A CROCHET HOOK IMPORTANT?

Absolutely. All the rules for gauge and measurement given for knitting applies in exactly the same way to crochet. Crochet instructions are worked out by the gauge given in each set of instructions. If you cannot get the gauge with the suggested hook, change to a larger or smaller size.

TO MAKE A TWISTED CORD
Cut strands of yarn 3 times desired length of cord. Tie ends tog forming 2 looped ends. Slide a pencil thru each looped end. Have two people hold pencils. Keeping yarn taut twist pencils in opposite directions. When yarn is tight and begins to kink, catch center of cord over a door knob. Bring pencils together, allowing yarn to twist. If necessary run hand down twisted cord to smooth.

ABBREVIATIONS

K	Knit
P	Purl
st	stitch
sl	slip
sk	skip
inc	increase
dec	decrease
tog	together
yo	yarn over
psso	pass sl st over
pat	pattern
beg	beginning
rep	repeat
rnd	rnd
MC	Main Color
CC	Contrast Color
dp	double point needles
ch	chain
sc	single crochet
hdc	half double crochet
dc	double crochet
sp	space
lp	loop
tr	triple crochet

* means repeat instructions following the * as many more times as specified in addition to the first time. () means repeat the instructions enclosed by the parentheses as many times indicated by the number immediately following.

wash fit

SPINNERIN—the company that freed the hand knitter from hand washing with Marvel Twist Wash Fit® knitting worsted and the growing Wintuk Family of Knitting Worsted, Sport, Fingering, Baby, Featherlon and Germantown Deluxe. Do get acquainted—you'll love us!

Buttons by La Mode

All directions in this book have been carefully checked for accuracy. We cannot be responsible for typographical errors or mis-interpretation of directions.

COPYRIGHT 1971—SPINNERIN YARN CO., INC., SOUTH HACKENSACK, N.J., U.S.A.

Price: $.75 in U.S.A., $1.00 in Canada, $1.25 in other countries

Style No. 864 **Shown at upper left on Front Cover**

Instructions are for 19-inch headsize. Changes for 21-inch headsize are in parentheses.

MATERIALS

SPINNERIN Marvel Twist Wash Fit® (4-oz.) 1 skein
1 button

CROCHET HOOKS: "Boye" Size F (G) **OR SIZES TO GIVE GAUGE**

GAUGE: F hook 4 sc = 1 inch, 9 rows = 2 inches
G hook 7 sc = 2 inches, 4 rows = 1 inch

UPPER CROWN: With F (G) hook and A yarn, ch 3; join with a sl st to form a ring. Mark beg of each rnd.

Rnd 1: Work 6 sc in ring.

Rnd 2: 2 sc in each st. 12 sc.

Rnd 3: Same as Rnd 2. 24 sc.

Rnd 4: * Sc in each of 3 sts, 2 sc in next st; rep from * around. 30 sc.

Rnd 5: * Sc in each of 4 sts, 2 sc in next st; rep from around. 36 sc.
Continue in this way, inc 6 sts every rnd, having 1 st more between incs each successive rnd until there are 12 sts between incs. 84 sc.

Next rnd: Sc in each of 7 sts; * inc 1 st in next st, sc in each of 13 sts; rep from *, ending sc in each of 6 sts. 90 sc. Join with a sl st to first sc. Fasten off.

STRIP FOR LOWER CROWN: With F (G) hook, ch 8 to measure 2 (2¼) inches.

Row 1: Work sc in 2nd ch from hook and each ch to end. Ch 1, turn, at end of every row.

Work rows of 7 sc until piece measures 21 (23) inches from beg. Break yarn.

Weave tog short ends of strip.

HEADBAND: With F (G) hook, ch 76 to measure 19 (21) inches. Join with a sl st to form a ring, taking care sts are not twisted. Ch 1, work sc in each ch. 76 sc. Work 4 more rnds of 76 sc. Join; fasten off.

BILL: With F (G) hook, ch 9 to measure 1¾ inches.

Row 1 (wrong side): Sc in 2nd ch from hook and each ch to end. 8 sc. Ch 1, turn, at end of every row.

Row 2: Draw up a loop in each of 2 sts, yo and thru 3 loops (1 st decreased), sc in next st, 3 sc in each of next 2 (center) sts, sc in next st, dec 1 st 10 sc.

Row 3 and All Odd-Numbered Rows: Sc in each sc.

Row 4: Dec 1 st, sc in each of next 2 sts, 3 sc in each of next 2 sts, sc in each of next 2 sts, dec 1 st.

Row 6: Dec 1 st, sc in each of next 3 sts, 3 sc in each of next 2 sts, sc in each of next 3 sts, dec 1 st. Continue in this way to dec 1 st at beg and end and work 3 sts, dec twice, sc in each of 9 sts, inc 1 in last st. 24 sc. in 16th row from beg. Work 1 row even.

Row 18: Dec 1 st, sc in each of next 9 sts, inc 1 st in each of next 2 sts, sc in each of 9 sts, dec 1 st. 24 sc.

Row 19: Work even.
Rep last 2 rows once.

Row 22: Dec 1 st each side. 22 sc.

Row 23: Work even.

Row 24: Rep Row 22.

Work 3 rows even. Mark center of these 3 rows for center of bill.

Rows 28 and 30: Work 2 sts in first st (1 st increased), work to last st, inc 1.

Rows 32 and 34: Inc 1 in first sc, sc in each of next 9 sts, dec twice, sc in each of 9 sts, inc 1 in last st. 24 sc.

Row 36: Inc 1 in first st, sc in each of 7 sts. dec 4 times, sc in each of 7 sts, inc 1 in last st. 22 sc.
Continue in this way to inc 1 st each side and to dec 4 sts at center every 2nd row until there are 8 sts in last dec row. Work 1 row even. Fasten off.

FINISHING: Place right sides of upper and lower crown tog. From wrong side and taking up 2 loops of each st of upper crown, join pieces by overcasting.

With last row of headband at lower edge of crown (right sides tog), join these pieces from wrong side as before. Mark point opposite seam for center front.

Fold bill at center incs and decs. Pin edge of bill with center marker at center front marker; pin each end 16 sts to each side of marker. Sew 1 edge of peak to 32 sts of center lower edge of headband, then sew other sts of center lower edge of headquarters, then saw other edge to same sts. Weave tog short ends of bill.

EARLAPS: With F (G) hook from right side and beg at 17th st from center front, work sc in 44 sts on lower edge of headband. Ch 1, turn, at end of every row. Work 2 rows sc, dec 1 st each side on last row.

Next row: Sc in each of 19 sts for right earlap. Ch 1, turn.

Dec 1 st at beg of next row (back edge), work to last 2 sts, dec 1 (front edge). Continue sc rows, dec 1 st at back edge *every* row 10 times more and at front edge, every 2nd row 4 times more. 3 sts.

For Boy: Work 1 row. Fasten off.

For Girl: Work 14 rows for chin strap. Ch 4 for button-loop, turn, join with sl st to last sc. Fasten off.

Left Earlap: Skip 4 sc at center back. Work to correspond to right earlap, work 1 row sc after last dec for girl; 14 rows and buttonloop for boy.

From right side. work 1 row sc around earlaps and strap, working 3 sc in buttonloop and 3 sc in center st of earlap without strap. Fasten off.

From right side and holding yarn on wrong side, work a row of sl st loosely at base of last sc row, working above buttonloop. Fasten off.

Weave or sew short ends of bill to edges of earlaps. Sew button opposite loop.

Style No. 865

Shown at upper right on Front Cover

Style No. 866

Shown at lower left on Front Cover

Instructions are for 18-inch headsize. Changes for 20-inch headsize are in parentheses.

MATERIALS

SPINNERIN Germantown Deluxe or Deluxe Knitting Worsted or Marvel Twist Wash Fit® (4-oz.) 1 skein

NEEDLES: "Boye" No. 7 **OR SIZE TO GIVE GAUGE**

GAUGE: 6 sts = 1 inch
6 rows = 1 inch

CUFF: Cast on 107 (117) for edge of cuff..

Row 1 (wrong side): K 2, * P 3, K 2; rep from * to end.

Row 2: P 2, * K 3, P 2; rep from * to end.

Rep these 2 rows for pat.

Work to 3 (3½) inches from beg, ending with Pat Row 2. This completes cuff.

CROWN—Next row (reverse pat): Work pat Row 2 again. Continue pat to 7 (8) inches from beg, ending with Pat Row 2.

First dec row: K 2 tog, * P 3, K 2 tog; rep from * to end. 85 (93) sts.

Next row: P 1. * K 3, P 1; rep from * to end.

Next row: K 1, * P 3, K 1; rep from * to end.

Rep last 2 rows once.

Next row: K 1, * K 2 tog; rep from * to end. 44 (47) sts.

Next row: P 2 tog across row.

Next row: K 2 tog across row.
Break yarn, leaving an end for sewing. Thread end into tapestry needle, run thru sts on knitting needle. draw sts tog tightly and fasten. Beg at top of crown, sew back seam, taking care to reverse seam of cuff.

EARLAPS (Make 2): Cast on 28 sts for either size **Row 1** (right side): K 3, * P 2, K 3; rep from * to end.

Row 2: P 3, * K 2, P 3; rep from * to end. Rep these 2 rows to 1½ (2) inches from beg, ending with Row 2.

Next row: K 1, K 2 tog, rib to last 3 sts, K 2 tog, K 1. Keeping ribs as established, dec 1 st after first st and before last st every row, until 6 sts remain.

TIE—Next row: * K 1; with yarn at front, sl 1 as to P, take yarn to back; rep from * to end.
Rep last row to 7 (8) inches from beg, or desired length. Bind off, working 2 sts tog across row.

FINISHING: Steam seam. Beg at each 3rd panel from seam and ½ inch above beg of reverse pat, sew cast-on edge of each earlap to corresponding sts on wrong side of crown.

Sew pompon to top of crown.

MATERIALS

SPINNERIN Germantown Deluxe or Deluxe Knitting Worsted or Marvel Twist Wash Fit® (4-oz.) 1 skein

CROCHET HOOK: "Boye" Size H **OR SIZE TO GIVE GAUGE**

GAUGE: 4 sts (2 groups) = 1 inch
3 rows = 1 inch

CROWN PANEL (Make 4): Ch 20 (22) to measure 4½ (5) inches for lower edge.

Row 1: Insert hook in 3rd ch from hook, draw up a loop, draw up a loop in next st, yo and thru 3 loops on hook, ch 1, (group), * draw up a loop in each of next 2 sts, yo and thru 3 loops, ch 1, (group); rep from * to end. 9 (10) groups. Ch 2 more, turn.

Row 2: Draw up a loop in first st, draw up a loop in next ch-1 sp, yo and thru 3 loops, ch 1, * draw up a loop in next st, draw up a loop in next ch-1 sp, yo and thru 3 loops, ch 1; rep from *, ending draw up a loop in last st, draw up a loop under turning ch, ch 1. 9 (10) groups. Ch 2 more, turn.

Rep Row 2 for pat.

Work even to 3 (3½) inches from beg. Ch 2 more, turn.

First decrease row: Sk first group, work pat to last 3 sts, sk next group, work group over last st and under turning ch. (7) 8 groups.
Work 1 row even.

Continue to dec 1 group each side as in first decrease row every 2nd row until 3 (2) groups remain.
Work 1 row even.

For 18-inch headsize: Work 1 group, sk center group, work 1 group. Fasten off.

Weave tog the 4 panels. Draw a short strand thru top opening, pull tog and secure.

From right side, work sl st in each st on lower edge. 72 (80) sts. Mark 1 seam for center front.

FRONT FLAP: From right side, join yarn to 14th (16th) st to right of marker. Ch 2. Thru both loops of sl st, work pat across next 26 (30) sts. 13 (15) groups. Continue pat to 2 (2½) inches from beg. Dec 1 group each side every 2nd row twice. Fasten off.

BACK FLAP: Join yarn in same sl st as last st of first row of front flap. Work pat, ending in same st as joining of first flap. 23 (25) groups. Continue pat to 1½ (1¾) inches from beg, ending on right side.

RIGHT EARLAP: Work pat over 7 groups, ch and turn. Continue on these sts only to 4 (4½) inches from beg of back flap. Decrease 1 group every 2nd row twice. Work 1 row of 3 groups.

Next row: Dec center group. Fasten off.

LEFT EARLAP: Join yarn to 7th group from other end of back flap. Work to correspond to right earlap.

FINISHING: Work 1 row sc on edges of flaps and earlaps. Beg at first row, weave front and back flaps tog for 1 inch. Sew a 5-inch piece of grosgrain ribbon to end of each earlap for tying.

Style No. 867 **Shown at lower right on Front Cover**

Instructions are for 19-inch headsize. Changes for 21-inch headsize are in parentheses.

MATERIALS

SPINNERIN Frostlon Petite (1-oz.) 3 balls A and 1 ball B

CROCHET HOOK: Size J **OR SIZE TO GIVE GAUGE**

GAUGE: 11 sc = 4 inches
1 sc rnd and 2 cluster rnds = 1¼ inches

NOTE: All sc rnds or rows are worked with 2 strands A held tog; all cluster rnds with 1 strand each A and B held tog.

CROWN: With 2 strands A, chain 4. Join with a sl st to form a ring. Mark beg of each rnd.

Rnd 1: Work 8 sc in ring.

Rnd 2: 2 sc in each sc. 16 sc.

Rnd 3: * Sc in 1 st, 2 sc in next st; rep from * around. 24 sc.

Rnd 4: * Sc in each of next 2 sts, 2 sc in next st; rep from * around. 32 sc. Drop 1 strand A; join 1 strand B.

Rnd 5: Draw up a ½-inch loop in next st, yo and thru 2 loops (long sc), insert hook in space between long sc and sc to right of long sc, draw up a ¾-inch loop, yo, insert hook in same sp, draw up a ¾-inch loop, yo and thru 4 loops (cluster), * sk next sc, work long sc in next st, work cluster in sp between long sc and last cluster; rep from *, ending sk last st, sl st in sp before first cluster. 16 clusters. Drop B; pick up A.

Rnd 6: * Sc under 2 loops at top of cluster, sc in next sp, sc in next cluster, 2 sc in next sp; rep from * around. 40 sc.

Rnd 7: Work clusters. 20 clusters.

Rnd 8: Work sc, inc 1 st in every 5th st. 48 sc.

Rnd 9: Work clusters. 24 clusters.

Rnd 10: Work sc, inc 1 st in every 12th (6th) st. 52 (56) sc.

Rnd 11: Work clusters. 26 (28) clusters.

Rnd 12: Work sc even. 52 (56) sc.

Alternating cluster and sc rnds, work 4 rnds. Join with a sl st; fasten off B.

RIGHT EARLAP: Work sc in each of 14 sts. Ch 1, turn, at end of every row.

Row 2: Sc in each of 14 sts.

Row 3: Sc in first st, draw up a loop in each of next 2 sts, yo and thru 3 loops on hook (1 st decreased), sc in each of next 8 sts, dec 1 st, sc in last st.

Row 4: Sc in each st.

Rep last 2 rows until 4 sts remain.

Next row: Sc in first st, dec 1 st, sc in last st. 3 sc.

Chin Strap: Work sc for 7 rows, or desired length.

Next row: Sc in first sc, ch 1, sk 1 sc, sc in last sc. Ch 1, turn. Sc in each sc and in ch-1. Fasten off.

LEFT EARLAP: Sk 19 (23) sc from end of first row of right earlap. Join yarn and work sc in each of next 14 sts. Complete same as right earlap and chin strap, omitting buttonhole.

FINISHING: With 2 strands A from right side, work 1 row sc on all edges, spacing sts to keep edges flat, holding front to desired size, and working 3 sc in center st at end of chin straps. Break 1 strand A; join 1 strand B. Thru both loops of sc, work sl st in each sc. Join; fasten off. Sew button on left chin strap.

Make a large pompon and sew to top.

Style No. 870 *(Continued from page 7)*

With F hook, work rows as follows: Ch 1, turn, work sl st in each of 6 sc, ch 1, sc in each of next 60 sts. Ch 1, turn.

Row 2 (right side): Sc in each of 60 sc. Ch 1, turn. Rep Row 2 to 3½ inches from end of crown, ending on wrong side.

EDGING—For Front: Sc in first sc, * ch 3, insert hook in front and side loop of last sc, work sc (picot), sk next sc of last row, sc in next sc; rep from * to end. Ch 1, do *not* turn.

For Neck-Row 1: * Work sc in each of 2 rows, draw up a loop in each of next 2 rows, yo and thru 3 loops (1 st decreased); rep from * to the 12 sts at center back, continue sc, decreasing after every 2nd st; then work sc and decreases in ends of rows as before, to front edge. Ch 1, turn.

Row 2: Sc in each sc. Ch 3, turn.

Row 3 (beading row): * Sk 1 sc, dc in next sc, ch 1; rep from *, ending ch 1, dc in last sc. Ch 1, turn.

Row 4: Work 2 sc in each ch-1 sp, ending sc under turning ch, sc in 2nd ch of turning ch. Ch 1, turn.

Row 5: Sc in each sc. Fasten off.

Twisted Cord: Use 4 strands yarn, see page 2.

Draw cord thru beading row to tie under chin.

Style No. 868 **Shown above**

Instructions are for 16½-inch headsize.

Changes for 19-inch headsize are in parentheses.

MATERIALS

SPINNERIN Allround or Wintuk Sport (2-oz.) 1 each MC and CC

CROCHET HOOKS: "Boye" Size F and Size G **OR SIZE TO GIVE GAUGE**

GAUGE: 5 sc = 1 inch
11 rows = 2 inches

CROWN: With F hook and MC, chain 3. Join with a sl st to form a ring. Mark end of every rnd.

Rnd 1: Work 7 (8) sc in ring. Work all sc thru both loops of previous sc.

Rnd 2: 2 sc in each sc. 14 (16) sc.

Rnd 3: * Sc in 1 sc, 2 sc in next sc; rep from * around. 21 (24) sc.

Rnd 4: * Sc in each of 2 sc, 2 sc in next sc; rep from * around. 28 (32) sc.

Rnd 5: * Sc in each of 3 sc, 2 sc in next sc; rep from * around 35 (40) sc.

(Continued on page 8)

Style No. 869 **Shown above**

Instructions are for 18-inch headsize.

Changes for 20-inch headsize are in parentheses.

MATERIALS

SPINNERIN Wintuk Sport or Allround (2-oz.) 1 skein

NEEDLES: "Boye" No. 5 **OR SIZE TO GIVE GAUGE**

CROCHET HOOK: "Boye" Size E

GAUGE (Blocked): 13 sts = 2 inches
8 rows = 1 inch

PATTERN STITCH: Worked on a multiple of 4 sts plus 1.

Row 1 (wrong side): K 1, * P 3, K 1; rep from * to end.

Row 2: P 1, * sk next st, K next 2 sts thru *back* loop and leave on needle, K skipped st thru *front* loop, drop the 3 knit sts from left needle, P 1; rep from * to end.

Row 3: Rep Row 1.

Row 4: P 1, * K 3, P 1; rep from * to end.

Rep these 4 rows for pat. Keep continuity when shaping.

To Inc 1 st: K in front, then in back of same st.

To Work Double Dec (DD): At beg of row, K 3 tog; at end of row, sl 1, K 2 tog thru *back* loops, psso the K 2 tog.

(Continued on page 8)

Style No. 870 **Shown below**

Instructions are for infant size

MATERIALS

SPINNERIN Mona (50 gr.) 1 ball

CROCHET HOOKS: "Boye" Size E and Size F **OR SIZE TO GIVE GAUGE**

GAUGE (F Hook): 6 sts = 1 inch
8 rows = 1 inch

CROWN: With E hook, chain 5. Join with a sl st to form a ring. Ch 2.

Rnd 1: Work 12 dc in ring, sl st in top of ch-2. Mark end of rnds.

Rnd 2: Ch 1, sc in first dc, * ch 3, sk next dc, sc in next dc; rep from * around, ending ch 3, sk last dc, sl st in ch-1. 6 ch-3 sps.

Rnd 3: Ch 1, work 4 sc in each sp, sl st in ch-1. 24 sc.

Rnd 4: Ch 2, dc in each sc, join with sl st to top of ch-2.

Rnd 5: Same as Rnd 2. 12 sps.

Rnd 6: Same as Rnd 3. 48 sc.

Rnd 7: Same as Rnd 4. 48 dc.

Rnd 8: Same as Rnd 2. 24 sps.

Rnd 9: Work 3 sc in each sp. 72 sc. This completes crown.

(Continued on page 5)

Style No. 871 **Shown below**

Instructions are for 18-inch headsize.

Changes for 20-inch headsize are in parentheses.

MATERIALS

SPINNERIN Allround or Wintuk Sport (2 oz.) 1 ball

NEEDLES: "Boye" No. 5 (6) **OR SIZE TO GIVE GAUGE**

GAUGES: No. 5 needles 6 sts = 1 inch
No. 6 needles 11 sts = 2 inches

HEADBAND: With No. 5(6) needles, cast on 120 (130) sts.

Row 1 (right side): * K 1; with yarn at *front* sl 1 as to P, take yarn to *back;* rep from * to end.
Rep this row for ¾ inch (double-knit band), ending on wrong side.

K 2 rows. inc 9(15) sts evenly spaced on last row.

Row 1 (right side): * K 15, K 1 in row below; rep from *, ending K 1.

Row 2: K 1, * P 1, K 15; rep from * to end.
There are 8(9) garter st panels.

Rep last 2 rows until there are 17 (18) ridges on right side, end with a wrong side row.

First dec row: * K 2 tog, K 11, sl 1, K 1, psso, K 1 in row below; rep from *, ending K 1.

(Continued on page 9)



Style No. 868 *(Continued from page 6)*

Rnd 6: * Sc in each of 4 sc, 2 sc in next sc; rep from * around. 42 (48) sc.

With G hook, work pat back and forth in rows as given below.

Row 1 (wrong side): Ch 1, turn. * Sc in next st, ch 1; rep from *, ending sc in last st. 83 (95) sts.

Row 2: Ch 1, turn. Sc in first sc, * ch 1, sk next ch, sc in next sc; rep from * to end.

Rep Row 2 to 3½ (4) inches from beg, ending on right side. Ch 1, turn.

RIGHT EARLAP: Sl st in each of 2 (4) sts, ch 1, work pat over 25 sts. Ch 1, turn.

Work 1 row even.

Row 3: Sc in first sc, ch 1, draw up a loop in each of next 2 sc, yo and thru 3 loops on hook (2-st dec), ch 1, pat to last 3 sc, work dec, ch 1, sc in last sc. 4 sts decreased in row. Ch 1, turn.

Row 4: Work even. Ch 1, turn.

Rep last 2 rows until 9 sts remain. Work 1 row even. Ch 1, turn.

Next row: Dec over first 2 sc, ch 1, sc in next sc, ch 1, dec. Ch 1, turn.

Next row: Draw up a loop in each sc, yo and thru 4 loops on hook. Ch 1; fasten off.

LEFT EARLAP: Join yarn at center back and work to correspond to right earlap.

FINISHING: Sew tog ends of rows above earlaps for back seam.

Edging: Join CC at center back.

Rnd 1: With G hook from right side, work sl st in each st and each row, taking care not to draw work.

Rnd 2: With F hook thru both loops of sl st, work 1 sc in each sl st, 3 sc in point of each earlap, join with a sl st to first sc. Draw MC thru loop on hook. Turn.

Rnd 3 (wrong side): Sk first sc ,* 2 hdc in next sc, sk next sc; rep from * around. Ch 1, turn.

Rnd 4: Work 2 sc in each sp between hdc's, 3 sc in sps around ends of earlaps. Fasten off.

Twisted Cords (Make 2): Using 3 strands MC. See page 2. Sew to wrong side at ends of earlaps for ties.

Using both colors, make a pompon and sew to top.

Style No. 869 *(Continued from page 6)*

CROWN: For either size, cast on 6 sts.

Row 1 and All Odd-Numbered Rows: Knit.

Row 2: K 1, inc 1 st in each st to last 2 (1). 9 (10) sts on needle.

Row 4: K 1, inc 1 st in each st to last, K 1. 16 (18) sts.

Row 6: K 1, * inc 1 st, K 1; rep from * to last 2, K 2. 23 (26) sts.

Row 8: K 1, * inc 1 st in next st, K 2; rep from *, ending last rep K 3. 30 (34) sts.

Row 10: K 1, * inc 1 st in next st, K 3; rep from *, ending last rep K 4. 37 (42) sts.

Row 12: K 1, * inc 1 st, K 4; rep from *, ending last rep K 5. 44 (50) sts.

Row 14: K 1, * inc 1 st, K 5; rep from *, ending last rep K 6. 51 (58) sts.

Row 16: K 1, * inc 1, K 6; rep from *, ending K 7. 58 (66) sts.

Row 17: Knit.

For Either Size—Next row: K 1, * inc 1 in each st to last, K 1. 114 (130) sts.

Next row (right side): K, inc 7 (1) evenly across. 115 (131) sts.

Keeping first and last sts in garter st (K every row) and others in pat st work until pat measures approx 4½ (5½) inches, ending with Pat Row 3.

Next row (right side): Bind off 1 (5) sts, work until there are 33 (37) sts on needle and place on holder for right earlap, bind off 47 sts for front, work to end.

Left Earlap-Row 1: Bind off 1 (5) sts, work pat to end.

Row 2: Keeping pat, work DD after the first and before the last sts.

Row 3: Work even.
Rep last 2 rows until 5 sts are in last even row.

Next row: Work 1 st, DD, 1 st. Bind off 3 sts.

Right Earlap: Work to correspond to left earlap.

FINISHING: Weave or sew back seam.

Crochet Edging: Beg at back seam from right side, work 1 rnd sl st around entire bonnet, spacing sts to keep edge flat. Ch 1, turn.

Rnd 2: Work sc thru both loops of sl st, dec 2 sts at top of earlap on each side of front, and working 3 sc in center st of each earlap point. Join with a sl st to first sc. Fasten off.

Cords. (Make 2): See Twisted Cords, page 2.

Sew to wrong sides of earlap points.

Make a pompon and sew to top of crown.

Style No. 873 **Shown at upper right on Back Cover**

Instructions are for 17½-inch headsize. Changes for 20-inch headsize are in parentheses.

MATERIALS

SPINNERIN Allround or Wintuk Sport (2 oz.) 1 skein A

AND Frostlon Petite (1-oz.) 1 ball B

CROCHET HOOKS: Size F and Size G **OR SIZES TO GIVE GAUGES**

GAUGES: F hook 6 sc = 1 inch, 5 rnds = 1 inch
G hook 13 sts = 4 inches

Crown and earlaps are worked with F hook and single strand A. Cuff is worked with G hook and 1 strand each A and B held tog.

CROWN: Ch 4. Join with a sl st to form a ring.

Rnd 1: Work 8 sc in ring. Mark end of *every* rnd.

Rnd 2: 2 sc in each sc (16 sc).

Rnd 3: * Sc in 1 sc, 2 sc in next sc; rep from * around (24 sc).

Rnd 4: * Sc in each of 2 sc, 2 sc in next sc; rep from * around (32 sc).

Rnd 5: * Sc in each of 3 sc, 2 sc in next sc; rep from * around (40 sc).

Rnd 6: * Sc in each of 4 sc, 2 sc in next sc; rep from * around (48 sc).

Rnd 7: Sc in each sc.

Rnd 8: * Sc in each of 5 sc, 2 sc in next sc; rep from * around (56 sc).
Continue in this way to inc 8 sts in each of next 2 rnds, having 1 st more between incs in each successive inc rnd.

Rnd 11: Sc in each sc (72 sc).

Rnd 12: Sc in each of 8 sc, 2 sc in next sc; rep from * around.

Rnd 13: Sc in each sc (80 sc).

Rnd 14: Inc 8 sc in rnd.

Rnd 15: Sc in each sc (88 sc). This completes inc rnds for 17½-inch headsize.

For 20-inch headsize—Rnd 16: Inc 8 sts evenly.

For 20-inch headsize—Rnd 17: Inc 4 sts evenly (100 sc).

For either size: Work even until crown measures 12 (12½) inches in diameter. Ch 1, turn.
Sc in each of 50 (54) sc for back. Ch 1, turn.

Next row: Sc in each of same 50 (54) sts.

Right Earlap-Row 1: Sc in each of 21 (23) sts.

Row 2: Sc in first sc, draw up a loop in each of next 2 sts, yo and thru 3 loops on hook (1 st decreased), sc in each sc to last 3 sc, dec 1 st, sc in last st.
Row 3: Sc in each sc.
Rep last 2 rows until 3 sts remain.

Tie: Work back and forth on the 3 sts for 7½ (8½) inches. Fasten off.

From right side, join yarn to 9th st from end of first row of right earlap. Ch 1, turn. Work same as right earlap and tie. Fasten off.

Beg at center back from right side, work 1 row sc on edges of helmet, earlaps and ties, spacing sts to keep edges flat and dec at back corner of each earlap.

CUFF: Chain 63 (69) to measure approx 18½ (21) inches. Join with a sl st to form a ring, taking care not to twist sts.

Rnd 1 (wrong side): Insert hook in first ch, yo, draw loop thru, insert hook from left to right under yarn below finger, forming a yo on hook and a loop on finger (have loop on finger about ¾ inches long), draw yo thru 2 loops on hook drop loop from finger (loop st will be on right side of work), work a loop st in each ch to end.

Rnd 2: Work sc thru *both* loops of each loop st.

Rnd 3: Thru *back* loop of sc only, work 1 loop st in each st.

Rep last 2 rnds twice (3 rnds sc, 4 rnds loop st worked). Join with a sl st. Fasten off.

FINISHING: Pin cuff over crown with foundation row of cuff over last row of crown. Sew foundation row to front loops of sc row of crown.

Run lower blade of scissors thru several loops at a time and cut for fur effect.

Using 1 strand each of A and B, make a pompon and sew to top of helmet.

Style No. 871 *(Continued from page 7)*

Continue in this way to dec 1 st each side of each garter st panel every 6th row 5 times more, working last dec row at center of each panel by sl 1, K 2 tog, psso the 2 tog. Work 1 row even (3 sts between single ribs on right side).

7th dec row: K 2 tog across.

Next row: Knit.

Next row: K 2 tog across. Break yarn, leaving an end for sewing.

FINISHING: Thread end in tapestry needle, run thru sts on knitting needle, draw sts tog tightly and secure.

Weave or sew side edges (back seam).

Sew pompon to top of beret.

Style No. 872 **Shown at upper left on Back Cover**

Instructions are for 15-inch headsize. Changes for 18-inch headsize are in parentheses.

MATERIALS

SPINNERIN Ballerina Angora (10-gr.) 3 balls

CROCHET HOOK: "Boye" Size G **OR SIZE TO GIVE GAUGE**

GAUGE: 4 sts = 1 inch
2 dc rows = 1 inch

Ch 4. Join with a sl st to form a ring.

Rnd 1: Ch 2, 9 dc in ring. Join with a sl st to top of ch-2. (Ch-2 at beg of rnds counts as 1 dc.)

Rnd 2: Ch 2, dc in same st with ch, 2 dc in each st, join. 20 dc. Join with sl st to top of ch-2 every rnd.

Rnd 3: Same as Rnd 2. 40 dc.

Rnd 4: Ch 2, * 2 dc in next st, dc in next st; rep from * around. 60 dc.

Rnd 5: Ch 2, dc in each st. 60 dc.

Rnd 6: Ch 2, dc in next st, * 2 dc in next st, dc in each of next 2 sts; rep from * around. 80 dc.

Rnd 7: Ch 2, dc in each of next 2 sts, * 2 dc in next st, dc in each of next 3 sts; rep from * around. 100 dc.

For 18-inch headsize only: Work 1 rnd even.

Next rnd: Ch 2, dc in each of next 3 sts, * 2 dc in next st, dc in each of next 4 sts; rep from * around. 120 dc.

For either size—First decrease rnd: Ch 2, dc in each of next 2 (3) sts, * yo, draw up a loop in next st, draw up a loop in next st, yo and thru 3 loops, yo and thru 2 loops (a decrease), dc in each of next 3 (4) sts, decrease; rep from * around. 80 (100) dc.

2nd decrease rnd: Ch 2, dc in next 1 (2) sts, decrease, * dc in each of next 2 (3) sts, decrease; rep from * around. 60 (80) dc.

For 18-inch headsize only—3rd decrease rnd: Ch 2, dc in next 7 sts, decrease, * dc in each of next 8 sts, decrease; rep from * around. 72 dc.

For either size: Ch 2, dc in each st. 60 (72) dc. Join with a sl st to top of ch-2.

Next rnd: Ch 1, sc in same st with sl st, sc in each st around. 60 (72) sc. Join with a sl st to first sc.
Rep last rnd 2 (3) times.

Next rnd: Ch 1, thru *back* loops, work sc in each sc, join. Rep last rnd 2 (3) times. Join; fasten off, leaving an end for sewing. Turn 2 (3) rnds at lower edge and sew to wrong side.

Style No. 874 **Shown at lower left on Back Cover**

Fits Sizes 1 to 3

MATERIALS

SPINNERIN Mona (50-gr.) 1 ball A

AND Frostlon Petite (1-oz.) 1 ball B

CROCHET HOOK: "Boye" Size F **OR SIZE TO GIVE GAUGE**

GAUGE: 9 shells = 8 inches
3 rows = 1 inch

With A, chain 78 to measure 18 inches for face edge.

Foundation row: Work 4 dc in 4th ch from hook, sk next ch, * sc in next ch, ch 2, sk next ch, 4 dc in next ch, sk next ch; rep from *, ending sc in last ch. Ch 3, turn. 19 shells.

Row 1: 4 dc in first sc, sc in ch-2 sp, * 4 dc in next sc, sc in next ch-2 sp; rep from *, ending sc under turning ch. Ch 3, turn. 19 shells.

Row 2: 4 dc in first sc; * in next sc, work sc, ch 2, 4 dc; rep from *, ending sc under turning ch. Ch. 3, turn.

Rep Rows 1 and 2 for pat. Keep continuity when shaping. Work until there are 6 rows from beg, ending with Pat Row 1.

First dec row: Work pat to last sc, draw up a loop in last sc, draw up a loop under turning ch, yo and thru 3 loops on hook (1 sc and 1 shell decreased). Ch 3, turn.

2nd dec row: 4 dc in decreased sc, sc in next ch-2 sp, continue pat to within 2 shells of end, draw up a loop in next ch-2 sp, draw up a loop under turning ch, complete sc decrease, (1 sc and 1 shell decreased). Ch 3, turn.

Work 5 rows even, ending with Pat Row 2.

(Continued on page 11)

Style No. 875 **Shown at lower right on Back Cover**

Instructions are for 18-inch headsize. Changes for 20-inch headsize are in parentheses.

MATERIALS

SPINNERIN Wintuk (2-oz.) 1 ball each A and B

NEEDLES: "Boye" No. 6 **OR SIZE TO GIVE GAUGE**

GAUGE: 11 sts = 2 inches
7 rows = 1 inch

NOTE: Cap is worked vertically.

With A, cast on 42 (52) sts.

Row 1 (right side): K 38 (44) for crown; P 19 (23), K 1 for turn back cuff.

Row 2: K 14 (18), P 16 (22), turn, leaving 12 sts unworked.

Row 3: K 16 (22), P 13 (17), K 1.

Row 4: K 14 (18), P 28 (32) Drop A, join B.

Row 5: K 28 (34), P 13 (17), K 1.

Row 6: K 1, P 13 (17), K 28 (34).

Row 7: P 28 (34), K 14 (18).

Row 8: K 1, P 13 (17), K 28 (34).

Row 9: P 28 (34), K 14 (18).

Row 10: P 14 (18), K 28 (34). Drop B, pick up A Rep from row 1 for Pat.

Rep these 10 rows until there are 12 (14) stripes each of A and B. Bind off loosely with B. Break yarn, leaving an end for sewing.

FINISHING: Thread end in tapestry needle. Weave tog bound-off and cast-on edges (back seam), then run yard thru ends of rows at top, draw tog tightly and secure. Sew pompon to top of cap.

Turn cuff to right side.

Style No. 874 *(Continued from page 10)*

3rd dec row: Work pat until 6 shells are complete, sk next shell of row below, sc in next sc, (sc in next ch-2 sp, shell in next sc) 3 times, sk next shell, sc in next sc; continue pat, ending sc under turning ch, (1 shell decreased each side of center 3 shells).

Next row: Work even. 15 shells. Turn.

4th dec row: Sc in first ch-2 sp (1 shell decreased), shell in next sc, work pat until 5 shells are complete, sc in next ch-2 sp, sk next sc and next shell, sc in next ch-2 sp, shell in next sc, sk next shell and next sc, sc in next ch-2 sp., shell in next sc, continue pat to end (3 shells decreased). Ch 3, turn.

5th dec row: Sk first sc and first shell; in next sc, work sc, ch 2 and shell; continue pat, ending sc in last sc. 11 shells. Ch 3, turn.

6th dec row: Sc in first ch-2 sp (1 shell decreased), shell in next sc, work pat until there are 3 shells; skipping shells, work sc in each of next 3 sc; (sc in next ch-2 sp, shell in next sc) 4 times; sc in last ch-2 sp. Ch 3, turn.

7th dec row: Sk first sc and first shell, (in next sc, work sc, ch 2 and shell) 3 times, sk next 2 sc, work 4 dc in next sc, (in next sc, work sc, ch 2 and shell) twice, sc in last sc. 6 shells. Fasten off, leaving an end for sewing.

FINISHING: Sew back seam, leaving first 14 rows from beg open for neck edge.

With A from right side, work 1 row sc across neck edge, working 3 sc in every 2 rows. Ch 1, turn. Work sc in each sc. Ch 1, turn. Work sl st in each sc. Fasten off.

Front Band and Ties: With 2 strands B held tog, chain 46 for 1 tie; from right side, work sc in first ch of foundation chain, continue sc across foundation, spacing sts to keep edge flat; ch 47 for other tie. Ch 1, turn.

Row 2: Sc in 2nd ch from hook and each ch of ties and each sc of front edge. Ch 1, turn.

Rows 3 and 4: Sc in each sc. Ch 1, turn.

Row 5: Sl st in each st, continue sl st across end and other side of tie, across front of bonnet at lower edge of first sc row; work on side and end of 2nd tie in same way. Join; fasten off.

Spinnerin

SPINNERIN YARN

Vol. 212 Price $.75